


Connecting fitting HOUSING Ø16

Barilotto Ø16 con bordo Housing Ø16 w/cover rim

Materiale - Material > Zama - Zinc alloy

Finitura - Finish > ZL - ZZ - ZZN - ZBR

Art.	Ø	Øa	H	M	i			
B002	16	18	18	M10	11	22	1.000	8,4
B003	16	18	19,5	M10	12,5	25	1.000	8,9
B021	16	18	22	M10	15	30	1.000	9,5




Tirante Ø10 Dowel Ø10

Materiale - Material > Ferro - Steel

Finitura - Finish > FZ

Art.	Ø	L	L1	M	i1	F		
TF05	10	8,5	27,5	M6	20	21,5	1.000	15,2
TF06	10	8,5	27,5	M8	20	21,5	1.000	16,1
TF07	10	8,5	37,5	M6	30	31,5	500	10,7
TF08	10	8,5	37,5	M8	30	31,5	500	10,9




Grano M10 Conic screw M10

Materiale - Material > Zama - Zinc alloy

Finitura - Finish > ZL - ZZ - ZZN - ZBR

Art.	M	H		
GR05	M10	12,5	5.000	12,3
GR11	M10	13,5	5.000	13
GR13	M10	16	5.000	16,2



Sistema di assemblaggio HOUSING Ø16


Connecting fitting HOUSING Ø16

Tirante doppio Ø10 Double dowel Ø10

Materiale - Material > Ferro - Steel

Finitura - Finish > FZ

Art.	Ø	L	i1	F		
TFD10	10	80	60	63	250	10,9




Tirante doppio ad angolo Ø10 Angle double dowel Ø10

Materiale - Material > Ferro - Steel

Finitura - Finish > FZ


Art.	Ø	L	i1	F		
TFD11	10	74,5	68,5	70	250	21,0



Schema e tabella di foratura in Appendice A
Drilling pattern and drilling table in Appendix A

Appendix A

Tirante doppio ad angolo Ø10 Angle double dowel Ø10



Art. TFD11		W=22 mm		W=25 mm		W=30 mm	
a [°]	F	X	Y	X	Y	X	Y
90	70	59,0	81,0	57,5	82,5	55,0	85,0
100	70	60,8	79,2	59,5	80,5	57,4	82,6
110	70	62,3	77,7	61,2	78,8	59,5	80,5
120	70	63,6	76,4	62,8	77,2	61,3	78,7
130	70	64,9	75,1	64,2	75,8	63,0	77,0
135	70	65,4	74,6	64,8	75,2	63,8	76,2
140	70	66,0	74,0	65,5	74,5	64,5	75,5
150	70	67,1	72,9	66,7	73,3	66,0	74,0
160	70	68,1	71,9	67,8	72,2	67,4	72,6
170	70	69,0	71,0	68,9	71,1	68,7	71,3
180	70	70,0	70,0	70,0	70,0	70,0	70,0