





SHELF CONNECTOR



BLOCK INSERT

Ø18/Ø20





Block insert Ø18/20

Material > Zinc Alloy - Plastic
Finishing > White - Plain



Art.	Ø	F	H			
S0010	18	8,5	13	16	5.000	18,6
S0011	18	8,5	14,2	18/19	5.000	19,1
S0012	18	8,5	17	23	5.000	19,7
S0013	18	8,5	18,4	26	5.000	20,8
S0014	18	8,5	20	28/30	5.000	21,3






Art.	Ø	F	H			
S0015	20	9,5	14	18/19	5.000	22,3
S0016	20	9,5	17,6	26	5.000	23,3
S0020	20	9,5	20,3	28/30	2.500	13,0

Standard support

Material > Zinc Alloy
Finishing > Zinc Plated - Zinc - Nickel Black - Nickel Plated



Art.	i	L1	L2			
S0030	8	22	20	16	2.000	9,9
S0032	9	22	20	18/19	1.000	5,2
S0036	11,5	22	20	23	1.000	5,7
S0037	13	22	20	26	1.250	7,2
S0038	14,5	22	20	28/30	1.250	7,6






Block support w/socket

Material > Zinc Alloy
Finishing > Zinc - Nickel Black - Nickel Plated



Art.	Ø	Øc	i	L	L1	L2			
SO047	5	4,8	8	7,5	22	20	16	1.000	6,5
SO046	5	4,8	9	7,5	22	20	18/19	1.000	6,7
SO044	5	4,8	8	10,5	22	20	16	1.000	6,6
SO041	5	4,8	9	10,5	22	20	18/19	1.000	6,8






Support “Pull and Lock” with cover

Material > Zinc Alloy
Finishing > Zinc - Nickel Black



Art.	i	L	L1			
SM55	13	20	18	25	1000	6,2
SM35	9	20	18	18	1000	5,5





Cover for support SM55

Material > Plastic
Finishing > RAL 7006



Art.	L	L1	S		
TP55	16,2	16,4	1,5	10000	4,00





Euro screw flat head

Material > Steel
Finishing > Zinc Plated - nero Zinc - Nickel Black - Nickel Plated



Art.	Ø	Øa	Øb	L		
VE11	5	7,8	6,3	11	5.000	8,4
VE12	5	7,8	6,3	13	5.000	9,0
VE13	3	7,8	4	11	5.000	7,9







Tool for Shelf Block/Fix

Material > Plastic

Finishing > Black



Art.	H	L	L1		
UT01	20	42	23	2.000	12,0



Shelf application from the top

Material > Zinc Alloy - Plastic
Finishing > White - Black - Brown - Aluminium



Art.	Ø	F	H	i			
SE04	20	9,5	12,5	8	16	3.000	17,2

